

Regulation of Core Body Temperature and the Immune System Determines Species Longevity

Ian James Martins^{1,2,3*}

¹Centre of Excellence in Alzheimer's Disease Research and Care, School of Medical Sciences, Edith Cowan University, Australia

²School of Psychiatry and Clinical Neurosciences, The University of Western Australia, Australia

³McCusker Alzheimer's Research Foundation, Holywood Medical Centre, Australia

***Corresponding author:** Dr. Ian J Martins, School of Medical Sciences, Edith Cowan University, 270 Joondalup Drive, Joondalup, Western Australia 6027, Australia, Tel: +61863042574; Email: i.martins@ecu.edu.au

Copyright: © 2017 Ian James Martins. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source.

Original Submission

Received: June 21, 2017

Accepted: June 28, 2017

Published: June 30, 2017

Open Peer Review Status: Editorials, news items, analysis articles, and features do not undergo external peer review.

How to cite this article: Ian James Martins. Regulation of Core Body Temperature and the Immune System Determines Species Longevity. *Curr Updates Gerontol.* (2017) 1: 6.1

Acknowledgments: This work was supported by grants from Edith Cowan University, the McCusker Alzheimer's Research Foundation and the National Health and Medical Research Council.

Abstract

The anti-aging gene Sirtuin 1 has now major relevance to genetics and the fields of pharmacology, toxicology, neuroscience, immunology, biochemistry and cell/molecular biology. Advances in anti-aging therapy are now essential to prevent mitochondrial apoptosis to promote longevity with the prevention of accelerated ageing. Calorie restriction that maintains the anti-aging genes changes the core body temperature and promotes species longevity. Stress and calorie consumption are sensitive to Sirt 1 function with relevance heat shock protein 70 metabolism and mitochondrial biogenesis. Sirt 1 regulation of the circadian rhythm mediates melatonin effects on core body temperature regulation and immune responses. Diet and fat are essential factors that determine species longevity with relevance to heat shock gene regulation and mitochondrial disease in animals and man. Strenuous exercise to activate the cellular heat shock gene in animals and man should be carefully controlled to prevent magnesium deficiency with relevance to immune disorders and mitophagy.

Keywords

Core Body Temperature; Mitochondria; Heat Shock Gene; Transcriptional Dysregulation; Sirtuin 1; Immune System, Anti-Aging; Diet; Longevity; Species; Melatonin; Fat; Magnesium; Circadian Rhythm; Heat Shock Protein

Current Updates in Gerontology

Editorial

Anti-aging genes have major relevance to genetics and the fields of pharmacology, toxicology, neuroscience, immunology, biochemistry, cell and molecular biology. The gene-environment interaction identifies the low calorie gene Sirtuin 1 (Sirt 1) to be disrupted with effects on transcriptional regulation of other anti-aging [1,2] and responsive genes that are sensitive to accelerated mitochondrial apoptosis [3-5]. Sirt 1 defects lead to defective xenobiotic metabolism with effects on mitophagy [6] and corruption of the nuclear-mitochondria interaction [1] that determines species longevity with relevance to senescence and the universality of aging in man and various species [7]. Advances in anti-aging diets are required to maintain the critical breakthroughs in the fields of pharmacology [8] and immunology [9] that are essential for mitochondrial biogenesis linked to core body temperature and the prevention of Type 3 diabetes, accelerated ageing and neurodegenerative disease (Figure 1).




Figure 1: Genetics and genomics now identify the anti-aging gene Sirt 1 to be essential for life to maintain core body temperature and species longevity. Calorie restriction activates Sirt 1 but with the aging process Sirt 1 becomes repressed in animals and man with mitochondrial apoptosis and programmed cell death. Nutritional interventions and lifestyle changes stabilize the immune system with the prevention of global organ disease and neurodegeneration.

Research findings have reported that temperature variations in organisms have marked changes in metabolism with higher temperatures associated with increased ageing [10,11]. The observation that diets with calorie restriction change core body temperature has led to explanations for differences in species longevity [12]. In man and animals the circadian rhythm is critical to maintain body temperature and implicates Sirt 1 in suprachiasmatic nucleus (SCN) regulation [1,13] with relevance to the circadian rhythm, core body temperature [14,15] and the immune system [16]. Temperature dysregulation involves other anti-aging genes but identifies Sirt 1 as the heat shock gene [17] that is involved in the circadian regulation of heat shock proteins (HSP) 60,70 and 90 [18-20]. HSP are now linked to obesity, cardiovascular disease, adiposity, Type 3 diabetes (20,21) and Alzheimer's disease [22-25]. Stress and calorie consumption are sensitive to hepatic HSP 60,70 and 90 metabolism with relevance to Sirt 1 and its involvement in HSP 70 metabolism and mitochondrial biogenesis [26-31]. Heat shock gene

dysregulation is now important to pharmacology [8] with relevance to HSP induced mitochondrial apoptosis and not drug induced mitochondrial apoptosis [32].

Core body temperature regulation in man and various species implicates the pineal gland melatonin (Figure 2) as essential for the thermoregulatory effects in the hypothalamus and the periphery [33-35]. Sirt 1 regulates the SCN [1,13] in the hypothalamus with effects on melatonin secretion [36,37] relevant to Type 3 diabetes [20,21] in man and premature aging in animals. Sirt 1 regulates the circadian rhythm and mediates melatonin effects [35] on the SCN and core body temperature regulation [15,38,39]. Melatonin and its effects on the species longevity involves the immune system because of its essential role in the prevention of exacerbated immune responses [40,41] and its effect on Sirt 1 in immune and autimmunity regulation [9,16].

Diet and fat [42] are essential factors (Figure 2) that may determine species longevity with relevance to heat shock gene regulation and mitochondrial disease in animals and man. Appetite control is critical for mitochondrial biogenesis [43] but heat shock gene dysregulation may inactivate magnesium/Sirt 1 interactions with relevance to melatonin formation essential for mitochondrial biogenesis in mammals [44-46]. Melatonin reacts with peroxynitrite and nitric oxide to reduced toxicity to cells [47,48] and peroxynitrite can be referred to as Sirt 1 modulator [49] with relevance to Sirt 1's involvement in SCN regulation of nitric oxide [50] with relevance to core body temperature and gene expression [51,52]. Strenuous exercise to activate the cellular heat shock gene in animals and man should be carefully controlled to prevent magnesium deficiency with relevance to nitric oxide dysregulation and mitophagy [53-57].




Figure 2: The discovery of the heat shock gene Sirt 1 indicates that diet, stress and lifestyle are critical factors that regulate melatonin (pineal gland) levels with relevance to core body temperature and species longevity. Heat/cold stress, intense exercise with high calorie diets inactivate the heat shock gene (Sirt 1) in animals and man with immune system imbalances, elevated HSP 70, nitric oxide dysregulation and magnesium deficiency connected to mitophagy.

Current Updates in Gerontology

Conclusion

In developed and developing world the global epidemic for chronic disease may include many species such as animals and man. Western diets and environmental changes disrupt anti-aging processes that determine species survival and are responsible for malfunction in anti-aging genes with relevance to global non alcoholic fatty liver disease, obesity and diabetes (Type 2 and Type 3) epidemic. Advances in anti-aging therapy identify Sirt 1 as critical to breakthroughs in the fields of genomics, pharmacology and immunology essential for longevity and the prevention of mitochondrial apoptosis linked to accelerated ageing and Type 3 diabetes. Unhealthy diets and lifestyle changes prevent Sirt 1 effects on body temperature regulation with low melatonin levels and immune dysfunction associated with reduced species longevity. Dietary fat and appetite control are essential factors that determine species survival relevant to core body temperature and mitochondrial disease in animals and man. Strenuous exercise to activate cellular anti-aging processes in animals and man should be carefully controlled to prevent magnesium deficiency that induce immune changes related to mitophagy and cell death in various species.

References

1. Martins IJ. Unhealthy Nutrigenomic Diets Accelerate NAFLD and Adiposity in Global communities. *J Mol Genet Med*. 2015; 9: 1-11.
2. Martins IJ. Anti-Aging Genes Improve Appetite Regulation and Reverse Cell Senescence and Apoptosis in Global Populations. *Adv Aging Res*. 2016; 5: 9-26.
3. Gulbins E, Dreschers S, Bock J. Role of mitochondria in apoptosis. *Exp Physiol*. 2003; 88: 85-90.
4. Lee HC, Wei YH. Mitochondria and aging. *Adv Exp Med Biol*. 2012; 942: 311-327.
5. Park J-H, Zhuang J, Li J, Hwang PM. p53 as guardian of the mitochondrial genome. *FEBS Letters*. 2016; 590: 924-934.
6. Martins IJ. Increased Risk for Obesity and Diabetes with Neurodegeneration in Developing Countries. *J Mol Genet Med*. 2013; S1: 1-8.
7. Bilinski T, Bylak A, Zadrag-Tecza R. Principles of alternative gerontology. *Ageing (Albany NY)*. 2016; 8: 589-602.
8. Martins IJ. Drug-Drug Interactions with Relevance to Drug Induced Mitochondrial Toxicity and Accelerated Global Chronic Diseases. *EC Pharmacol. Toxicol*. 2017; 3: 18-21.
9. Martins IJ. Defective Inter-play between Adipose Tissue and Immune System Induces Non Alcoholic Fatty Liver Disease. *Updates Nutr Disorders Ther*. 2017; 1: 1-6.
10. Keil G, Cummings E, de Magalhães JP. Being cool: how body temperature influences ageing and longevity. *Biogerontology*. 2015; 16: 383-397.
11. Piccione, G, Caola G, Refinetti, R. Daily and estrous rhythmicity of body temperature in domestic cattle. *BMC Physiol*. 2003; 3: 7.
12. Carrillo AE, Flouris AD. Caloric restriction and longevity: effects of reduced body temperature. *Ageing Res Rev*. 2011; 10: 153-162.
13. Chang HC, Guarente L. SIRT1 mediates central circadian control in the SCN by a mechanism that decays with aging. *Cell*. 2013; 153: 1448-1460.
14. Gotic I, Schibler U. Posttranscriptional mechanisms controlling diurnal gene expression cycles by body temperature rhythms. *RNA Biology*. 2017; 2: 1-5.
15. Lim, C, Allada R. Emerging roles for post-transcriptional regulation in circadian clocks. *Nature Neuroscience*. 2013; 16: 1544-1550.
16. Kong S, McBurney MW, Fang D. Sirtuin 1 in immune regulation and autoimmunity. *Immunol Cell Biol*. 2012; 90: 6-13.
17. Martins IJ. Heat shock gene Sirtuin 1 regulates post-prandial lipid metabolism with relevance to nutrition and appetite regulation in diabetes. *Int J Diab Clin Diagn*. 2016; 3: 1-3.
18. Tomita T, Hamazaki J, Hirayama S, McBurney MW, Yashiroda H, et al. Sirt1-deficiency causes defective protein quality control. *Sci Rep*. 2015; 5: 12613.
19. Rensing L, Monnerjahn C. Heat shock proteins and circadian rhythms. *Chronobiol Int*. 1996; 13: 239-250.
20. Martins IJ. Type 3 diabetes with links to NAFLD and Other Chronic Diseases in the Western World. *Int J Diab*. 2016; 1: 1-5.
21. Martins IJ. Diet and Nutrition reverse Type 3 Diabetes and Accelerated Aging linked to Global chronic diseases. *J Diab Res Ther*. 2016; 2: 2.
22. Habich C, Sell H. Heat shock proteins in obesity: links to cardiovascular disease. *Horm Mol Biol Clin Investig*. 2015; 21: 117-124.
23. Rogers RS, Beaudoin MS, Wheatley JL, Wright DC, Geiger PC. Heat shock proteins: in vivo heat treatments reveal adipose tissue depot-specific effects. *J Appl Physiol*. 2015; 118: 98-106.
24. Heydari AR, Wu B, Takahashi R, Strong R, Richardson A. Expression of heat shock protein 70 is altered by age and diet at the level of transcription. *Molecular Cell Biology*. 1993; 13: 5: 2909-2918.

Current Updates in Gerontology

25. Njemini R, Bautmans I, Onyema OO, Van Puyvelde K, Demanet C, et al. Circulating heat shock protein 70 in health, aging and disease. *BMC Immunology*. 2011; 12: 24.
26. Yu A, Li P, Tang T, Wang J, Chen Y, et al. Roles of Hsp70s in Stress Responses of Microorganisms, Plants, and Animals. *Biomed Research International*. 2015; 510319.
27. Daugaard M, Rohde M, Jäättelä M. The heat shock protein 70 family: Highly homologous proteins with overlapping and distinct functions. *FEBS Lett*. 2007; 581: 3702-3710.
28. Norris CE, dilorio PJ, Schultz RJ, Hightower LE. Variation in heat shock proteins within tropical and desert species of poeciliid fishes. *Mol Biol Evol*. 1995; 12: 1048-1062.
29. Monteiro JP, Cano MI. SIRT1 deacetylase activity and the maintenance of protein homeostasis in response to stress: an overview. *Protein Pept Lett*. 2011; 18: 167-173.
30. Herrmann JM, Stuart RA, Craig EA, Neupert W. Mitochondrial heat shock protein 70, a molecular chaperone for proteins encoded by mitochondrial DNA. *J Cell Biol*. 1994; 127: 893-902.
31. Böttinger L, Oeljeklaus S, Guiard B, Rospert, S, Warscheid B, et al. Mitochondrial heat shock protein (Hsp) 70 and Hsp10 cooperate in the formation of Hsp60 complexes. *J Biol Chem*. 2015; 290: 11611-1122.
32. Martins IJ. Heat Shock Gene Dysregulation and Inactivation of Drug Therapy. *EC Pharmacology and Toxicology*. 2017; 1: 13-15.
33. Cagnacci A, Kräuchi K, Wirz-Justice A, Volpe A. Homeostatic versus circadian effects of melatonin on core body temperature in humans. *J Biol Rhythms*. 1997; 12: 509-517.
34. Dubocovich ML. Melatonin receptors: role on sleep and circadian rhythm regulation, *Sleep Med*. 2007; 8: 34-42.
35. Gillette, MU, McArthur AJ. Circadian actions of melatonin at the suprachiasmatic nucleus. *Behav Brain Res*. 1996; 73: 135-139.
36. Bubenik GA, Konturek SJ. Melatonin and aging: prospects for human treatment. *J Physiol Pharmacol*. 2011; 62: 13-19.
37. Cassone VM, Warren WS, Brooks DS, Lu J. Melatonin, the pineal gland, and circadian rhythms. *J Biol Rhythms*. 1993; 8: S73-81.
38. Benarroch EE. Suprachiasmatic nucleus and melatonin: reciprocal interactions and clinical correlations. *Neurology*. 2008; 71: 594-598.
39. Gotic I, Schibler U. Posttranscriptional mechanisms controlling diurnal gene expression cycles by body temperature rhythms. *RNA Biology*. 2017; 1-5.
40. Carrillo-Vico A, Lardone PJ, Alvarez-Sánchez N, Rodríguez-Rodríguez A, Guerrero JM. Melatonin: buffering the immune system. *Int J Mol Sci*. 2013; 14: 8638-8683.
41. Srinivasan V, Maestroni GJ, Cardinali DP, Esquifino AI, Perumal SR, et al. Melatonin, immune function and aging. *Immun Ageing*. 2013; 29: 17.
42. Martins IJ. Food intake and caffeine determine amyloid beta metabolism with relevance to mitophagy in brain aging and chronic disease. *EJFST*. 2016; 4: 11-17.
43. Martins IJ. Appetite Control with Relevance to Mitochondrial Biogenesis and Activation of Post- Prandial Lipid Metabolism in Obesity Linked Diabetes. *Ann Obes Disord*. 2016; 1: 1-3.
44. Martins IJ. Magnesium Therapy Prevents Senescence with the Reversal of Diabetes and Alzheimer's Disease. *Health*. 2016; 8: 694-710.
45. Chatteraj A, Liu T, Zhang LS, Huang Z, Borjigin J. Melatonin formation in mammals: in vivo perspectives. *Rev Endocr Metab Disord*. 2009; 10: 237-243.
46. Tan D-X, Manchester LC, Qin L, Reiter RJ. Melatonin: A Mitochondrial Targeting Molecule Involving Mitochondrial Protection and Dynamics. *Int J Mol Sci*. 2016; 17: 2124.
47. Aydogan S, Yerer MB, Goktas A. Melatonin and nitric oxide. *J Endocrinol Invest*. 2006; 29: 281-287.
48. Blanchard B, Pompon D, Ducrocq C. Nitrosation of melatonin by nitric oxide and peroxy nitrite. *J Pineal Res*. 2000; 29: 184-192.
49. Martins IJ. Overnutrition Determines LPS Regulation of Mycotoxin Induced Neurotoxicity in Neurodegenerative Diseases. *Int J Mol Sci*. 2016; 16: 29554-29573.
50. Martins IJ. Nutritional diets accelerate amyloid beta metabolism and prevent the induction of chronic diseases and Alzheimer's disease. *Photon ebooks*. 2015; 1: 1-48.
51. Yang WW, Krukoff TL. Nitric oxide regulates body temperature, neuronal activation and interleukin-1 beta gene expression in the hypothalamic paraventricular nucleus in response to immune stress. *Neuropharmacology*. 2000; 39: 2075-2089.
52. Bogdan, C. Nitric oxide and the regulation of gene expression. *Trends Cell Biol*. 2001; 11: 66-75.

Current Updates in Gerontology

53. Laires MJ, Monteiro C. Exercise, magnesium and immune function. *Magnes Res.* 2008; 21: 92-96.
54. Maiorana A, O'Driscoll G, Taylor R, Green D. Exercise and the nitric oxide vasodilator system. *Sports Med.* 2003; 33: 1013-1035.
55. Salo DC, Donovan CM, Davies KJ. HSP70 and other possible heat shock or oxidative stress proteins are induced in skeletal muscle, heart, and liver during exercise. *Free Radic Biol Med.* 1991; 11: 239-246.
56. Litvinova L, Atochin DN, Fattakhov N, Vasilenko M, Zatulokin P, et al. Nitric oxide and mitochondria in metabolic syndrome. *Front Physiol.* 2015; 6: 20.
57. Martins IJ. Apelinergic System Defects with Relevance to Mental Disorders in Diabetes. *World J Psychiatry Ment Health Res.* 2017; 1: 1001.